

TX-3535P3FC120-OGHCNA72-03F

PRODUCT SPECIFICATION

Features:

- ◆
- ◆
- ◆

Chip Material:

- ◆

Emitting Color:









- ◆

Applications:

- ◆
- ◆
- ◆

--	--	--	--	--	--

Package Dimensions:



--	--	--	--	--	--

Absolute Maximum Ratings (Tc=25°C)







Parameter	Symbol	Ratings	Unit
			°C

Notes:

Notes section containing technical details and specifications, overlaid with multiple 'TYANSHINE' watermarks.

--	--	--	--	--	--


Electrical




--	--	--	--	--	--



Typical Electrical/Optical Characteristics Curves

°C




Forward Current VS. Luminous Flux





°C

Relative Spectral Distribution




Wavelength (nm)

Usage Precautions

Storage Environment Condition

°C °C °F °F

Soldering Condition



广州市添鑫光电有限公司
Guangzhou Tianxin Photoelectric Co.,Ltd

广州市添鑫光电有限公司
Guangzhou Tianxin Photoelectric Co.,Ltd

广州市添鑫光电有限公司
Guangzhou Tianxin Photoelectric Co.,Ltd

广州市添鑫光电有限公司
Guangzhou Tianxin Photoelectric Co.,Ltd


广州市添鑫光电有限公司
Guangzhou Tianxin Photoelectric Co.,Ltd

广州市添鑫光电有限公司
Guangzhou Tianxin Photoelectric Co.,Ltd

--	--	--	--	--	--

Dimensions For Cannulation And Packaging

Quantity:1000 PCS



广州市添鑫光电有限公司
Guangzhou Tianxin Photoelectric Co.,Ltd

广州市添鑫光电有限公司
Guangzhou Tianxin Photoelectric Co.,Ltd

TYANSHINE
广州市添鑫光电有限公司
Guangzhou Tianxin Photoelectric Co.,Ltd

--	--	--	--	--	--